

Message

**From:** [REDACTED] Ex. 4 CBI [REDACTED]@pgenv.com]  
**Sent:** 1/14/2021 6:58:36 PM  
**To:** Hopkins, Ingrid [Hopkins.Ingrid@epa.gov]; Pratt, Stacie [Pratt.Stacie@epa.gov]  
**CC:** Pruzinsky, Amanda [Pruzinsky.Amanda@epa.gov]  
**Subject:** RE: Replacement for [REDACTED]

Sounds good Ingrid. This facility should work for us

[REDACTED] Ex. 4 CBI  
**PG Environmental**  
703-956-1957 (office)  
717-440-0344 (cell)

---

**From:** Hopkins, Ingrid <Hopkins.Ingrid@epa.gov>  
**Sent:** Thursday, January 14, 2021 1:57 PM  
**To:** Pratt, Stacie <Pratt.Stacie@epa.gov>; [REDACTED] Ex. 4 CBI [REDACTED]@pgenv.com>  
**Cc:** Pruzinsky, Amanda <Pruzinsky.Amanda@epa.gov>  
**Subject:** RE: Replacement for [REDACTED]

We could probably follow up on PA at 3 pm.

Ingrid H. Hopkins  
NPDES Section (3ED32)  
U.S. EPA, Region III  
1650 Arch Street  
Philadelphia, PA 19103  
(215) 814-5437

---

**From:** Pratt, Stacie <Pratt.Stacie@epa.gov>  
**Sent:** Thursday, January 14, 2021 1:47 PM  
**To:** [REDACTED] Ex. 4 CBI [REDACTED]@pgenv.com; Hopkins, Ingrid <Hopkins.Ingrid@epa.gov>  
**Cc:** Pruzinsky, Amanda <Pruzinsky.Amanda@epa.gov>  
**Subject:** Replacement for [REDACTED] Ex. 4 CBI [REDACTED]

Hi Jake/Ingrid. We spoke with the State, and I have a replacement for [REDACTED] — Hanover Foods. Please let us know if this one will work. They are in SNC, and I can pass along some recent State inspection reports.

Also, I have a few new folks that are interested in going out on these inspections. Maybe we can talk today about any precautions you all are now taking and if you are ok with them joining.

Thanks.

Hanover Foods

PA0044741

Stacie Pratt, Section Chief  
NPDES Section — 3ED32  
Water Branch, Enforcement and Compliance Assurance Division  
EPA Region 3

ED\_005492A\_00002616-00001

1650 Arch Street  
Philadelphia, PA 19103  
Work Phone: 215-814-5173  
Work Cell: 267-761-0860  
Email: [pratt.stacie@epa.gov](mailto:pratt.stacie@epa.gov)